


How to create your own webpage

Sven and Till

ECS Meeting at the IWF



ÖAW

ÖSTERREICHISCHE
AKADEMIE DER
WISSENSCHAFTEN



Introduction

Idea of the tutorial:


- learn how a good webpage looks like
- create a simple webpage

Why should you create a webpage:

- be visible
- control how you present yourself
- store your achievements

Dos and don'ts

What to have on there



Do not:

- Add your private information
- Hide your contact details
- Add what you can't maintain
- Add a "under construction"

The Perfect Minimum



Oriel Marshall

Astrophysics & Education

PhD student / early stage researcher in the Marie Curie funded CHAMELEON innovative training network at the universities of Antwerpen and Copenhagen
Currently based in Antwerp

Thesis title

Translating Scientific Concepts and Dilemmas into Teaching Materials

Research Question

What is the differential effect of using contemporary astrophysics to teach STEM curricula subjects

Oriel.marshall@uantwerpen.be
Oriel.miya.marshall@gmail.com



[about](#) [publications](#)

Beatriz Campos Estrada


Astrophysics and Planetary Science PhD Fellow.

I am a portuguese astrophysicist, currently doing my PhD at the [Niels Bohr Institute](#) (Denmark) and the [Space Research Institute](#) (Austria). I am part of the [CHAMELEON](#) Marie-Curie innovative training network.

My major research interest is [exoplanets](#): from their formation, to their evolution path and their atmospheres. I am a modeller and sometimes a theorist. All my publications are available at the [publications page](#).

If you are not astronomer (or scientist) but are looking for someone enthusiastic to talk (almost) all things exoplanets, please feel free to reach out to me - I am available to have an informal chat or teach about what I know/do.

You can contact me at beatriz.estrada@nbi.ku.dk, or find me in the Astrodon world [@exobeatriz](#).



selected publications

Testing exoplanet evaporation with multitransiting systems

James E. Owen, and [Beatriz Campos Estrada](#)

MNRAS, Feb 2020



All the Essentials



Helena Lecoq Molinos

I am a joint PhD student at the Space Research Institute (IWF), TU Graz and KU Leuven, as part of the Marie Curie CHAMELEON ITN.

I am interested in exoplanetary sciences as well as atmospheric chemistry and astrobiology. In my research I focus the microphysics of cloud formation. I use quantum chemistry calculations to determine which metal oxide clusters can form and grow in exoplanet atmospheres.

CV

2020 - present

PhD in Astronomy & Astrophysics, Space Research Institute (IWF), Austrian Academy of Sciences, TU Graz and KU Leuven.

Thesis: 'Microphysics of cloud formation: the path to heterogeneous nucleation'

2015 - 2020

BSc in Physics, University of Santiago de Compostela

Thesis: 'Analyzing data from the Pierre Auger Observatory'

Publications

D. Gobrecht, J.P. Sindel, H. Lecoq-Molinos, L. Decin "The Ionization Energies of Dust-Forming Metal Oxide Clusters" *Universe*, 7, 243 (2021)

Conferences & Workshops

October 2022 - Contributed talk at Graz-Vienna Exoplanet Scientist Meeting I (GVESM)

October 2022 - Contributed talk at From Clouds to Planets II: The Astrochemical Link

September 2022 - Co-organizer of the CHAMELEON Network Retreat

June 2022 - Poster at European Astronomical Society Annual General Meeting

January 2022 - Attended CHAMELEON School II: Tackling the great science questions of our time

March 2021 - Attended CHAMELEON School I: Introduction to data analysis techniques and virtual laboratories

Contact Details

helena.lecoq@oeaw.ac.at | helena.lecoqmolinos@kuleuven.be

Space Research Institute | Institut für Weltraumforschung (IWF)

Austrian Academy of Sciences | Österreichische Akademie der Wissenschaften (OAW)

Schmidstraße 6, 8042 Graz, Austria

Aaron David Schneider

Publications

Talks

Teaching

CV



Aaron Schneider

PhD fellow in Astrophysics

📍 UCPH & KULeuven

✉ Email

🌐 LinkedIn

🐙 Github

📄 ORCID

📄 ADS



About me

I am a Marie Skłodowska-Curie early stage researcher in astronomy and astrophysics in the [CHAMELEON¹](#) network trying to connect the atmosphere and the interior of extrasolar gas planets.

I completed the first half of my PhD in Leuven (Belgium) working together with Leen Decin and Ludmila Carone. I am currently doing the second part of my PhD in København (Denmark), working together with Uffe Gråe Jørgensen.

The goal of this project is to improve coupling between the interior of exoplanets and the observable 3D atmosphere to understand when deep dynamic effects yield observable effects (i.e. spectra, colours etc). It has not yet been investigated if these deep effects on the 3D atmosphere structure can also affect the cooling rate of a thermally evolving gas planet. If the interior interaction with the 3D atmosphere has an impact, it will change the planet's long-term planetary evolution from its formation until today.

Let's get fancy



Concept


Server



URL



HTML code



Github

Search or jump to... Pull requests Issues Codespaces Marketplace Explore

tillkaefer / tillkaefer.github.io Public

Pin Unwatch 1 Fork 0

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

gh-pages 2 branches 0 tags

Go to file Add file <> Code

About



Your gh-pages branch isn't protected

Protect this branch from force pushing or deletion, or require status checks before merging. [Learn more](#)

Protect this branch



tillkaefer new lines

18c9f40 3 weeks ago 60 commits

_data	google analytics	3 years ago
_drafts	add jump, change order, events as drafts	2 years ago
_includes	google analytics	3 years ago
_layouts	new email and first draft of SED predictor	6 months ago
_posts	new lines	3 weeks ago
css	google analytics	3 years ago
flavicons	google analytics	3 years ago
fonts	google analytics	3 years ago
images	added landing page from SEDpredictor	6 months ago
js	google analytics	3 years ago

No description, website, or topics provided.

View license

2 stars

1 watching

0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Environments 1

github-pages Active

HTML templates



HTML5 UP

... makes **spiffy HTML5 site templates** that are:




Fully
Responsive



Built on intelligent
HTML5 + CSS3




Super
Customizable



100% Free under the
[Creative Commons](#)



Get notified when I release new stuff!



Tutorial part

- I. Create github account
- II. Create a repository
- III. Select a template
- IV. Upload the template
- V. Adjust the content

Step by step instruction

Create your first project

Ready to start building? Create a repository for a new idea or bring over an existing repository to keep contributing to it.

[Create repository](#) [Import repository](#)

Recent activity

When you take actions across GitHub, we'll provide links to that activity here.

Following For you Beta

Discover interesting projects and people to populate your personal news feed.

Your news feed helps you keep up with recent activity on repositories you [watch](#) or [star](#) and people you [follow](#).


[Explore GitHub](#)

ProTip! The feed shows you events from people you [follow](#) and repositories you [watch](#) or [star](#).

[Subscribe to your news feed](#)

© 2023 GitHub, Inc.

- [Blog](#)
- [About](#)
- [Shop](#)
- [Contact GitHub](#)
- [Pricing](#)
- [API](#)
- [Training](#)
- [Status](#)
- [Security](#)
- [Terms](#)
- [Privacy](#)
- [Docs](#)



- New repository
- Import repository
- New codespace
- New gist
- New organization
- New project

Latest changes

- 9 hours ago
GitHub Enterprise Server 3.10.0 is available
 - 17 hours ago
Security advisory: CVE-2023-38411: Multiple types of credits
 - 17 hours ago
Custom repository roles API GA and breaking change
 - 17 hours ago
Dependency graph removes go.sum support
- [View changelog →](#)

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner *

webpagetutorial / **webpagetutorial.github.io**

webpagetutorial/webpagetutorial is a *special* repository that you can use to add a README.md to your GitHub profile. Make sure it's public and initialize it with a README to get started.

Description (optional)

- Public**
Anyone on the Internet can see this repository. You choose who can commit.
- Private**
You choose who can see and commit to this repository.

Initialize this repository with:
Skip this step if you're importing an existing repository.

- Add a README file**
This is where you can write a long description for your project. [Learn more.](#)

Add .gitignore

Description (optional)

- Public**
Anyone on the internet can see this repository. You choose who can commit.
- Private**
You choose who can see and commit to this repository.

Initialize this repository with:
Skip this step if you're importing an existing repository.

- Add a README file**
This is where you can write a long description for your project. [Learn more.](#)


Add .gitignore
Choose which files not to track from a list of templates. [Learn more.](#)

.gitignore template: None ▾

Choose a license
A license tells others what they can and can't do with your code. [Learn more.](#)

License: None ▾

 You are creating a public repository in your personal account.





Search or jump to...

Pull requests Issues Codespaces Marketplace Explore



webpagetutorial / webpagetutorial Public

Pin Unwatch 1 Fork 0 Star 0

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH `https://github.com/webpagetutorial/webpagetutorial.git`

Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

...or create a new repository on the command line

```
echo "# webpagetutorial" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git branch -M main
git push -u origin main
```

Tweet

Get notified when I release new stuff!

Follow @ajlkn



Story

Live Demo

Free Download (190,628)

Dimension

Extract

html5Sup-story

File Home Share View Compressed Folder Tools

Extract To

Extract all

← → ↶ ↷ ⬆ ⬇ > This PC > Downloads > html5Sup-story

Search html5Sup-st...

Name	Type
assets	File folder
images	File folder
index	Chrome HTML Document
index-demo	Chrome HTML Document
LICENSE	Text Document
README	Text Document

OneDrive

This PC

- 3D Objects
- Desktop
- Documents
- Downloads
- Music
- Pictures
- Videos
- Boot (C:)
- Data (D:)
- Recover (E:)

6 items

Extract Compressed (Zipped) Folders

Select a Destination and Extract Files

Files will be extracted to this folder:

C:\Users\tillk\Downloads\html5Sup-story

Browse...

Show extracted files when complete

Extract Cancel

hen I release new stuff!

Follow @ajlkn

(190,628)



Search or jump to...

Pull requests Issues Codespaces Marketplace Explore

Notifications, user avatars

webpagetutorial / webpagetutorial Public

Pin Unwatch 1 Fork 0 Star 0

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Quick setup — if you've done this before

Set up in Desktop or HTTPS SSH

Get started by creating a new file or uploading an existing one

...or create a new repository on the command line

```
echo "# webpagetutorial" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git branch -M main
git push -u origin main
```

```
MINGW64/c:/Users/tillk/Downloads/html5up-story
tillk@Tillspc MINGW64 ~
$ cd Downloads/html5up-story
tillk@Tillspc MINGW64 ~/Downloads/html5up-story
$ git init
Initialized empty Git repository in C:/Users/tillk/Downloads/html5up-story/.git/
tillk@Tillspc MINGW64 ~/Downloads/html5up-story (master)
$ git status
```

Go to folder
git init
(git status)





Search or jump to...

Pull requests Issues Codespaces Marketplace Explore



webpagetutorial / webpagetutorial Public

Pin Unwatch 1 Fork 0 Star 0

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Quick setup — if you've done th

Set up in Desktop or HTTPS SSH

Get started by creating a new file or uploading

...or create a new repository on

```
echo "# webpagetutorial" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git branch -M main
git push -u origin main
```

```
MINGW64/c/Users/tillk/Downloads/html5up-story
tillk@Tillspc MINGW64 ~/Downloads/html5up-story
$ git init
Initialized empty Git repository in C:/Users/tillk/Downloads/html5up-story/.git/
tillk@Tillspc MINGW64 ~/Downloads/html5up-story (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
LICENSE.txt
README.txt
assets/
images/
index-demo.html
index.html

nothing added to commit but untracked files present (use "git add" to track)
tillk@Tillspc MINGW64 ~/Downloads/html5up-story (master)
$
```

(list all files)

Quick setup — if you've done this before

Get started by [creating a new file](#) or [uploading your files](#)

Set up in Desktop or HTTPS SSH


...or create a new repository on the command line

```
echo "# webpagetutorial" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/yourusername/webpagetutorial.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git branch -M main
git push -u origin main
```

```
MINGW64/c/Users/tillk/Downloads/html5up-story
tillk@Tillspc MINGW64 ~/Downloads/html5up-story (master)
$ git add *
```





Search or jump to...

Pull requests Issues Codespaces Marketplace Explore



webpagetutorial / webpagetutorial Public

Pin Unwatch 1 Fork 0 Star 0

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Quick setup — if you've done this before

Set up in Desktop or HTTPS SSH

Get started by creating a new file or uploading an existing repository

...or create a new repository on the command line


```
echo "# webpagetutorial" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git branch -M main
git push -u origin main
```

```
MINGW64/c/Users/tillk/Downloads/html5up-story
tillk@Tillkpc MINGW64 ~/Downloads/html5up-story (master)
$ git commit -m 'init'
[master (root-commit) 14bc074] init
90 files changed, 29371 insertions(+)
create mode 100644 LICENSE.txt
create mode 100644 README.txt
create mode 100644 assets/css/fontawesome-all.min.css
create mode 100644 assets/css/main.css
create mode 100644 assets/css/noscript.css
create mode 100644 assets/js/breakpoints.min.js
create mode 100644 assets/js/browser.min.js
create mode 100644 assets/js/demo.js
create mode 100644 assets/js/jquery.min.js
create mode 100644 assets/js/jquery.scrollex.min.js
create mode 100644 assets/js/jquery.scrolly.min.js
create mode 100644 assets/js/main.js
create mode 100644 assets/js/util.js
create mode 100644 assets/sass/base/_page.scss
create mode 100644 assets/sass/base/_reset.scss
create mode 100644 assets/sass/base/_typography.scss
create mode 100644 assets/sass/components/_actions.scss
create mode 100644 assets/sass/components/_banner.scss
create mode 100644 assets/sass/components/_box.scss
```

git commit -m 'init' committing all files



Quick setup — if you've done th

Set up in Desktop

or

HTTPS

SSH

Get started by creating a new file or uploading

...or create a new repository on

```
echo "# webpagetutorial" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git push -u origin main
```

or push an existing repository from the command line

```
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git branch -M main
git push -u origin main
```

```
MINGW64:/c/Users/tillk/Downloads/html5up-story
create mode 100644 images/gallery/thumbs/03.jpg
create mode 100644 images/gallery/thumbs/04.jpg
create mode 100644 images/gallery/thumbs/05.jpg
create mode 100644 images/gallery/thumbs/06.jpg
create mode 100644 images/gallery/thumbs/07.jpg
create mode 100644 images/gallery/thumbs/08.jpg
create mode 100644 images/gallery/thumbs/09.jpg
create mode 100644 images/gallery/thumbs/10.jpg
create mode 100644 images/gallery/thumbs/11.jpg
create mode 100644 images/gallery/thumbs/12.jpg
create mode 100644 images/pic01.jpg
create mode 100644 images/pic02.jpg
create mode 100644 images/pic03.jpg
create mode 100644 images/spotlight01.jpg
create mode 100644 images/spotlight02.jpg
create mode 100644 images/spotlight03.jpg
create mode 100644 index-demo.html
create mode 100644 index.html

tillk@Tillspc MINGW64 ~/Downloads/html5up-story (master)
$ git remote add origin https://github.com/webpagetutorial/webpagetutorial.git

tillk@Tillspc MINGW64 ~/Downloads/html5up-story (master)
$ git push -u origin master
```

connecting to github
pushing to github



Search or jump to...

Pull requests Issues Codespaces Marketplace Explore

Unwatch 1 Fork 0 Star 0

GitHub Login

Username or email

Password

Login Cancel

Don't have an account? Sign up
Forgot your password?

```
4:/Users/tillk/Downloads/html5up-story  
de 100644 images/gallery/thumbs/04.jpg  
de 100644 images/gallery/thumbs/05.jpg  
de 100644 images/gallery/thumbs/06.jpg  
de 100644 images/gallery/thumbs/07.jpg  
de 100644 images/gallery/thumbs/08.jpg  
de 100644 images/gallery/thumbs/09.jpg  
de 100644 images/gallery/thumbs/10.jpg  
de 100644 images/gallery/thumbs/11.jpg  
de 100644 images/gallery/thumbs/12.jpg  
de 100644 images/pic01.jpg  
de 100644 images/pic02.jpg  
de 100644 images/pic03.jpg  
de 100644 images/spotlight01.jpg  
de 100644 images/spotlight02.jpg  
de 100644 images/spotlight03.jpg  
de 100644 index-demo.html  
de 100644 index.html  
spc MINGW64 ~/Downloads/html5up-story (master)  
te add origin https://github.com/webpagetutorial/webpagetutorial.git  
tillk@Tillkspc MINGW64 ~/Downloads/html5up-story (master)  
$ git push -u origin master
```

```
git branch -M main  
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git  
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git  
git branch -M main  
git push -u origin main
```


might look different depending on your OS

Intermezzo

how to create a token

github doesn't allow for you to use the user password to upload files, you need to create a token instead

the next slides show you how to do that



Quick setup — if you've done this kind of thing before

[Set up in Desktop](#) or [HTTPS](#) [SSH](#) `https://github.com/webpagetutorial/webpagetutorial.git`

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# webpagetutorial" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/webpagetutorial/webpagetutorial.git
git branch -M main
git push -u origin main
```

Signed in as
webpagetutorial

[Set status](#)

- Your profile
- Your repositories
- Your projects
- Your stars
- Your gists
- Your sponsors

- Upgrade
- Try Enterprise
- Feature preview

[Help](#)

Settings

[Sign out](#)

- SSH and GPG keys
- Organizations
- Moderation
- Code, planning, and automation
 - Repositories
 - Codespaces
 - Packages
 - Copilot
 - Pages
 - Saved replies
- Security
 - Code security and analysis
- Integrations
 - Applications
 - Scheduled reminders
- Archives
 - Security log
 - Sponsorship log
 - <> Developer settings**

bio

You can @mention other users and organizations to link to them.

Pronouns

Don't specify

URL

Social accounts

- Link to social profile
- Link to social profile
- Link to social profile
- Link to social profile

Company

You can @mention your company's GitHub organization to link it.

Location

Display current local time
Other users will see the time difference from their local time.

All of the fields on this page are optional and can be deleted at any time, and by filling them out, you're giving us consent to share this data wherever your user profile appears. Please see our [privacy statement](#) to learn more about how we use this information.

Update profile

Settings / Developer settings

- GitHub Apps
- OAuth Apps
- Personal access tokens ^
 - Fine-grained tokens Beta
 - Tokens (classic)**

Personal access tokens (classic)

Generate new token ▾

Need an API token for scripts or testing? [Generate a personal access token for quick access to the GitHub API.](#)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to authenticate to the API over Basic Authentication.

- GitHub Apps
- OAuth Apps
- Personal access tokens**
 - Fine-grained tokens Beta
 - Tokens (classic)**

New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

Note

windows_computer

What's this token for?

Expiration *

No expiration ⌵ The token will never expire!

GitHub strongly recommends that you set an expiration date for your token to help keep your information secure. [Learn more](#)

Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes](#).

- repo** Full control of private repositories
- repo_status Access commit status
- repo_deployment Access deployment status
- public_repo Access public repositories
- repo:invite Access repository invitations
- security_events Read and write security events
- workflow Update GitHub Action workflows
- write:packages Upload packages to GitHub Package Registry

<input type="checkbox"/> write:discussion	Read and write team discussions
<input type="checkbox"/> read:discussion	Read team discussions
<input type="checkbox"/> admin:enterprise	Full control of enterprises
<input type="checkbox"/> manage_runners:enterprise	Manage enterprise runners and runner groups
<input type="checkbox"/> manage_billing:enterprise	Read and write enterprise billing data
<input type="checkbox"/> read:enterprise	Read enterprise profile data
<input type="checkbox"/> audit_log	Full control of audit log
<input type="checkbox"/> read:audit_log	Read access of audit log
<input type="checkbox"/> codespace	Full control of codespaces
<input type="checkbox"/> codespace:secrets	Ability to create, read, update, and delete codespace secrets
<input type="checkbox"/> project	Full control of projects
<input type="checkbox"/> read:project	Read access of projects
<input type="checkbox"/> admin:gpg_key	Full control of public user GPG keys
<input type="checkbox"/> write:gpg_key	Write public user GPG keys
<input type="checkbox"/> read:gpg_key	Read public user GPG keys
<input type="checkbox"/> admin:ssh_signing_key	Full control of public user SSH signing keys
<input type="checkbox"/> write:ssh_signing_key	Write public user SSH signing keys
<input type="checkbox"/> read:ssh_signing_key	Read public user SSH signing keys

Generate token Cancel



Search or jump to...

Pull requests Issues Codespaces Marketplace Explore



Some of the scopes you've selected are included in other scopes. Only the minimum set of necessary scopes has been saved.

Settings / Developer settings

- GitHub Apps
- OAuth Apps
- Personal access tokens
 - Fine-grained tokens Beta
 - Tokens (classic)

Personal access tokens (classic)

Generate new token Revoke all

Tokens you have generated that can be used to access the GitHub API.

Make sure to copy your personal access token now. You won't be able to see it again!

[REDACTED]
Copy
Delete

this is your password

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to authenticate to the API over Basic Authentication.

End of intermezzo



Search or jump to...

Pull requests Issues Codespaces Marketplace Explore



Some of the scopes you've selected are included in other scopes. Only the minimum set of necessary scopes has been saved.

Settings / Developer settings

- GitHub Apps
- OAuth Apps
- Personal access tokens
 - Fine-grained tokens (Beta)
 - Tokens (classic)**

```

MINGW64/c/Users/tillk/Downloads/html5up-story

tillk@Tillspc MINGW64 ~/Downloads/html5up-story (master)
$ git push -u origin master
Logon failed, use ctrl+c to cancel basic credential prompt.


tillk@Tillspc MINGW64 ~/Downloads/html5up-story (master)
$ git push -u origin master
Logon failed, use ctrl+c to cancel basic credential prompt.
Logon failed, use ctrl+c to cancel basic credential prompt.
Enumerating objects: 105, done.
Counting objects: 100% (105/105), done.
Delta compression using up to 4 threads
Compressing objects: 100% (104/104), done.
Writing objects: 100% (105/105), 1.61 MiB | 999.00 KiB/s, done.
Total 105 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/webpagetutorial/webpagetutorial.git
 * [new branch]      master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.

tillk@Tillspc MINGW64 ~/Downloads/html5up-story (master)
$ |

```

new token ▼ Revoke all

log in



Delete

... for Git over HTTPS, or can be



Search or jump to...

Pull requests Issues Codespaces Marketplace Explore



webpagetutorial / webpagetutorial.github.io Public

Pin Unwatch 1 Fork 0 Star 0

Code Issues Pull requests Actions Projects Wiki Security Insights **Settings**

master 1 branch 0 tags

Go to file Add file Code

tillkaeufer init 14bc074 36 minutes ago 1 commit		
assets	init	36 minutes ago
images	init	36 minutes ago
LICENSE.txt	init	36 minutes ago
README.txt	init	36 minutes ago
index-demo.html	init	36 minutes ago
index.html	init	36 minutes ago

README.txt

Story by HTML5 UP
html5up.net | @ajlkn
Free for personal and commercial use under the CCA 3.0 license (html5up.net/license)

Say hello to Story, a brand new responsive one-pager for HTML5 UP! Inspired by my work on Carrd*, Story is built to be extremely modular and tweakable, and as such is entirely built on reusable, insanely customizable elements (like "spotlight" and "gallery") that

About

No description, website, or topics provided.

- Readme
- View license
- 0 stars
- 1 watching
- 0 forks


Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Environments 1



General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Actions

Webhooks

Environments

Codespaces

Pages

Security

Code security and analysis

Deploy keys

Secrets and variables

General

Repository name

webpagetutorial.github.io Rename

Template repository
Template repositories let users generate new repositories with the same directory structure and files.


Require contributors to sign off on web-based commits
Enabling this setting will require contributors to sign off on commits made through GitHub's web interface.

Social Preview

Upload an image to customize your repository's social media preview.

Images should be at least 640x320px (1280x640px for best display).

Download template



General

- Access
- Collaborators
- Moderation options

Code and automation

- Branches
- Tags
- Actions
- Webhooks
- Environments
- Codespaces
- Pages

- Security
- Code security and analysis
- Deploy keys
- Secrets and variables

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Build and deployment

Source

Deploy from a branch


Branch

Your GitHub Pages site is currently being built from the master branch. [Learn more.](#)

master
/ (root)
Save

Learn how to add a file to your site.

Your site was last deployed to the github-pages environment by the pages build and deployment workflow. [Learn more about deploying to GitHub Pages using custom workflows](#)



GitHub Pages

GitHub Pages is designed to host your personal, organizational, or project pages from a GitHub repository.

Your site is live at <https://webpagetutorial.github.io/>

Last deployed by [webpagetutorial](#) 2 hours ago

Visit site



Build and deployment

Source

Deploy from a branch

Branch

Your GitHub Pages site is currently being built from the `master` branch. [Learn more.](#)

master

/ (root)

Save

Learn how to [add a Jekyll theme](#) to your site.

Your site was last deployed to the `github-pages` environment by the [pages build and deployment](#) workflow.

[Learn more about deploying to GitHub Pages using custom workflows](#)

takes a while

You made it!!!!

Story

A (modular, highly tweakable) responsive one-page template designed by [HTML5 UP](#) and released for free under the [Creative Commons](#).

GET STARTED

Adding content

Story

A (modular, highly tweakable) responsive one-page template designed by [HTML5 UP](#) and released for free under the [Creative Commons](#).

GET STARTED

```
index - Notepad
File Edit Format View Help
<!DOCTYPE HTML>
<!--
    Story by HTML5 UP
    html5up.net | @ajlkn
    Free for personal and commercial use under the CCA 3.0 license
    (html5up.net/license)
-->
<html>
  <head>
    <meta charset="utf-8" />
    <title>Story</title>
    <link href="assets/css/main.css" />
    <script src="assets/css/noscript.css"></script>
  </head>
  <body class="is-preload">
    <!-- Wrapper -->
    <div id="wrapper" class="divided">
      <!-- One -->
      <section class="banner style1 orient-left
        content-align-left image-position-right fullscreen onload-image-fade-in onload-
        content-fade-right">
        <div class="content">
          <h1>Story</h1>
          <p class="major">A
            (modular, highly tweakable) responsive one-page template designed by <a
            href="https://html5up.net">HTML5 UP</a> and released for free under the <a
            href="https://html5up.net/license">Creative Commons</a>.</p>
          <ul class="actions">
            <li><a href="#">GET STARTED</a></li>
            <li><a href="#">ABOUT</a></li>
            <li><a href="#">CONTACT</a></li>
          </ul>
        </div>
      </section>
    </div>
  </body>
</html>
```

Find

Find what: Find Next

Direction: Up Down Cancel

Match case Wrap around

Story

A (modular, highly tweakable) responsive one-page template designed by [HTML5 UP](#) and released for free under the [Creative Commons](#).

GET STARTED

```
index - Notepad
File Edit Format View Help
<!DOCTYPE HTML>
<!--
    Story by HTML5 UP
    html5up.net | @ajlkn
    Free for personal and commercial use under the CCA 3.0 license
    (html5up.net/license)
-->
<html>
  <head>
    <title>Story by HTML5 UP</title>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-
scale=1, user-scalable=no" />
    <link rel="stylesheet" href="assets/css/main.css" />
    <noscript><link rel="stylesheet" href="assets/css/noscript.css">
  </noscript>
  </head>
  <body class="is-preload">

    <!-- Wrapper -->
    <div id="wrapper" class="divided">

      <!-- One -->
      <section class="banner style1 orient-left
content-align-left image-position-right fullscreen onload-image-fade-in onload-
content-fade-right">
        <div class="content">
          <h1>Your name</h1>
          <p class="major">this is
your new text and new <a href="https://webpagetutorial.github.io/">link</a>.</p>
          <ul class="actions"
stacked">
            <li><a
Ln 24, Col 55    100%    Windows (CRLF)    UTF-8
```


test webpage by opening
html file with your browser

Your name

this is your new text and new [link](#).

GET STARTED

To upload it again

in git:

```
git add (filename)
```

```
git commit -m '(comment)'
```

```
git push
```

Where to go from here?

Add more essentials:

- Picture
- email
- description
- CV
- Publications
- Talks and Posters
- Teaching experiences

Make your web page interesting/memorable:

- Add more pictures
- Individualise the design
- Add funny gimmicks

Add extracurricular activities:

- Outreach talks
- Projects you worked on
- Artist collaborations
- Related hobbies

Playing around:

